



ND TRADEMARK OFFICE

In re application of:

Docket No.: OT-4329

REC

LEANDRE ADIFON et al.

Date: March 2, 2001

MAR 12 2001

Serial No.: 09/163,207

Group Art: 3652

TO 3600 MAIL ROOM

Filed: September 29, 1998

Examiner: S. McAllister

Title: ELEVATOR SYSTEM HAVING DRIVE MOTOR LOCATED ADJACENT TO

HOISTWAY DOOR

Commissioner for Patents Washington, D.C. 20231

Sir:

NOTICE OF APPEAL FROM THE PRIMARY EXAMINER TO THE BOARD OF APPEALS AND INTERFERENCES

Applicant hereby appeals to the Board of Appeals from the decision of the Primary 03/13/2001 AGRAXIam PAQA QA QA 0916320

01 EC:119

310.00 CH

The item(s) checked below are appropriate:

- A petition to extend the time for response to the office action by month(s) 1. was filed on even date herewith.
- No fee is required since it was paid in a prior appeal. [] 2.
- Please charge the \$270.00 fee to Deposit Account No. 15-0750, Order No. 3. [X]OT-4329. A duplicate copy of this Notice is enclosed herewith.

00000046 150750 270.00 CR

09163207

Respectfully submitted,

RE ADIFON et al.

Registration No. 5,188

Otis Elevator Company Otis Intellectual Property Department 10 Farm Springs Farmington, CT 06032 (860) 676-5742

03/09/2001 CV0111

00000046 150750 09163207

01 FC:121

270.00 CH

eroby certify that this correspondence is being deposited with the United States Postal first class mail in an envelope to: Director of Patients and D.C. 20231 en Washington,